

LOV

Design Uwe Sommerlade



LOV

Design Uwe Sommerlade



LOV | Models 2140 – 2147 lounge-chair

LOV – a lightweight upholstered chair for conference, lounge and dining – at home or in a restaurant. The upholstered seat shell is available in two different back heights. Two foot cross bases are available, either on castors or glides, and a skid base. The result is a richly varied modular system from which furniture can be combined to meet a wide variety of wishes and requirements. The lines of the shells are restrained and harmonious. The proportions are balanced. Comfort is guaranteed. A timeless seating furniture program that sets an elegant accent in the room without dominating its surroundings.

Frame

Models 2140 – 2141: Skid frame made of Ø 12 mm steel wire, St37. The cross pieces are made of 25 x 5 mm flat steel with rounded edges welded all around the frame.

Models 2142 – 2143: 4-arm base extension made of polished aluminum, tapered from 35 mm to 22 mm, with rotating column, bottom Ø 50 mm, top Ø 40 mm. 4-arm truss support, screwed to the seat shell. Optionally, the frame is not rotatable.

Models 2144 – 2145: 4-arm base extension made of polished aluminum, tapered from 20 mm to 26 mm, with rotating column, bottom Ø 45 mm, top Ø 40 mm. 4-arm truss support, screwed to the seat shell.

Models 2146 – 2147: 4-arm base extension with castors made of polished aluminum tapered from 20 mm to 26 mm, with rotating column, bottom Ø 45 mm, top Ø 40 mm. 4-arm truss support screwed to the seat shell.

Frame surfaces

Models 2140 – 2141, chrome-plated as standard, optionally powder-coated according to BRUNE® collection.

Models 2142 – 2147, polished as standard, optional structure black matt.

Seat shell

Upholstery support consisting of a steel frame and molded wood support plate covered with molded polyurethane foam.

Fabric cover

Fabric cover according to BRUNE® collection, fabric group 3, 4, 6, 7 or 8.

Seat cushion foam: RG/SH 57/40 ca. 35 mm thick

RG = specific gravity / S/H = compression hardness

Glides + rollers


Models 2140 – 2143, standard without glides, optionally with plastic or felt glides

Models 2144 – 2145, standard glides with plastic insert, optional felt insert

Models 2146 – 2147, standard on black castors


Dimensions Model 2140

Dimensions:	Width:	B	60 cm
	Depth:	T	67 cm
	Total height:	H	88 cm
	Armrest height:	AH	65 cm
	Seat height:	SH	47 cm
Weight:			11 kg




Dimensions Model 2141

Dimensions:	Width:	B	60 cm
	Depth:	T	73 cm
	Total height:	H	112 cm
	Armrest height:	AH	65 cm
	Seat height:	SH	47 cm
Weight:			12 kg




Dimensions Model 2142

Dimensions:	Width:	B	60 cm
	Depth:	T	67 cm
	Total height:	H	86 cm
	Armrest height:	AH	63 cm
	Seat height:	SH	45 cm
Weight:			11 kg




Dimensions Model 2143

Dimensions:	Width:	B	60 cm
	Depth:	T	73 cm
	Total height:	H	110 cm
	Armrest height:	AH	63 cm
	Seat height:	SH	45 cm
Weight:			12 kg




Dimensions Model 2144

Dimensions:	Width:	B	60 cm
	Depth:	T	67 cm
	Total height:	H	88 cm
	Armrest height:	AH	65 cm
	Seat height:	SH	47 cm
Weight:			10,5 kg




Dimensions Model 2145

Dimensions:	Width:	B	60 cm
	Depth:	T	73 cm
	Total height:	H	112 cm
	Armrest height:	AH	65 cm
	Seat height:	SH	47 cm
Weight:			11,5 kg




Dimensions Model 2146

Dimensions:	Width:	B	60 cm
	Depth:	T	67 cm
	Total height:	H	88 cm
	Armrest height:	AH	65 cm
	Seat height:	SH	47 cm
Weight:			10,5 kg



Dimensions Model 2147

Dimensions:	Width:	B	60 cm
	Depth:	T	73 cm
	Total height:	H	112 cm
	Armrest height:	AH	65 cm
	Seat height:	SH	47 cm
Weight:			11,5 kg



Awards



Certificates



TÜV-Certificate
ID 1111264245
(exemplarily tested: Model 2146)

ISO 9001:2015



Quality management in
accordance with DIN EN
ISO 9001

ISO 14001:2015



Environmental
management system in
accordance with DIN EN
ISO 14001

LOV



2141



2140



2142



2143



2146



2147



2145



2144



2144